

MIRRORS &
MEDICINE CABINET



MIRRORS & MEDICINE CABINET





ABOUT ROSERY

**SINCE
1996**

Guangdong Rosery Bath Science and Technology Co., Ltd. was founded in 1996. We started to make shower enclosures since 1999 under the brand ROSERY. We are one of the earliest and largest shower enclosure manufacturers in China, dedicated to independent design, development and manufacture.


Guangdong Rosery Bath Science and Technology Co., Ltd. was founded in the 1990s. We are a sanitary products company integrating R&D, design, production and sales. The company has an intelligent manufacturing base of 240,000 square meters in Taishan, China, which has intelligent production lines for glass, hardware, aluminum, shower door, mirror, mirror cabinet, shower tray, bathtub, wash basin, etc.

Rosery has passed the ISO9001 certification, ISO14001 certification and ISO45001 certification.

Now, ROSERY business forms a tripod layout of export, domestic franchising, and projects. For export, our products are exported to more than 30 countries and regions such as America, Canada, UK, France and Australia, etc. For domestic channel, ROSERY has close to 1,000 shops spanning across more than 600 cities in China, and establishes deep cooperation with national home furnishing chain stores. For projects, ROSERY established strategic cooperation with top real estate developers.

ROSERY walked through more than twenty years, keep moving and never stop.

We embrace future with love, chase our dream with customers.





CATALOGUE

MIRRORS & MEDICINE CABINET

1

ROUND
FRAMELESS
MIRRORS

P03-P04
RING



P05-P06
SELENE



P07-P08
APOLLO



P09-P10
CRYSTAL



P11-P12
RAINBOW



2

SQUARE
FRAMELESS
MIRRORS

P15-P16
PALACE



P17-P18
TWINS



P19-P20
NOBLE



P21-P22
AURORA



P23-P24
EROS



P25-P26
VENUS



P27-P28
HARMONY



P29-P30
DAWN



P31-P32
GALAXY



P33-P34
PEACE



P35-P36
MELODY



3

FRAMED
MIRRORS

P39-P40
GLORY



P41-P42
AGNES



P43-P44
FLORA



P45-P46
FAIRY



P47-P48
ROYAL



4

MEDICINE
CABINET

P51-P52
DREAM



P53-P54
GEMINI



P55-P56
ETERNITY



P57-P58
LIBERTY



P59-P60
EXPLORER



P61-P62
SECRET




5

MAKE-UP
MIRRORS


P65-P66
MIRACLE



P67-P68
MAGIC



**ROUND
FRAMELESS MIRRORS**



RING

5MM
Copper-free mirror


LED
2835 beads


ANTI-FOGGING
With heating pad

OPTIONAL
Time display

DOUBLE TOUCH SWITCHES

CODE	Ø DIAMETER (mm)	DEPTH (mm)
RS-J06-100e-1-A	Ø800	30mm
RS-J06-100e-1-B	Ø600	30mm





SELENE

5MM
Copper-free mirror

LED
2835 beads


IP44
Waterproof rating


OPTIONAL
Heating pad

OPTIONAL
Time display

SINGLE TOUCH SWITCH

CODE	Ø DIAMETER (mm)	DEPTH (mm)
RS-J15-100e-2-A	Ø600	40mm
RS-J15-100e-2-B	Ø800	40mm
RS-J15-100e-2-C	Ø1000	40mm






APOLLO

- 5MM**
Copper-free mirror
- LED**
3838 BI-colorbeads
- ANTI-FOGGING**
With heating pad
- ARYLIC OR PS DIFFUSED LED LIGHTING**
- OPTIONAL**
Time display
- SINGLE TOUCH SWITCH**

CODE	Ø DIAMETER (mm)	DEPTH (mm)
RS-J16-100e-5-A	Ø800	40mm
RS-J16-100e-5-B	Ø600	40mm





CRYSTAL

- 5MM**
Copper-free mirror
- LED**
3838 BI-colorbeads
- OPTIONAL**
Heating pad
- ARYLIC OR PS DIFFUSED LED LIGHTING**
- OPTIONAL**
Time display
- SINGLE TOUCH SWITCH**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-6-A	550mm	800mm	40mm
RS-J16-100e-6-B	800mm	1200mm	40mm








RAINBOW-1

- 5MM**
Copper-free mirror
- LED**
3838 Tri-color beads
- ANTI-FOGGING**
With heating pad
- SUPER SMOOTH
EDGE**
- TEMPERED
CRAFT-GLASS**
- SINGLE
TOUCH SWITCH**



CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)	GLASS COLOR
RS-J09-100e-1	Ø800	Ø800	40mm	Crtystal clear/Crystal Gray/Rainbow glaze
RS-J09-100e-2	800mm	1800mm	40mm	Crtystal clear/Crystal Gray/Rainbow glaze





RAINBOW-2

- 5MM**
Copper-free mirror
- LED**
3838 Tri-color beads
- ANTI-FOGGING**
With heating pad
- SUPER SMOOTH
EDGE**
- TEMPERED
CRAFT-GLASS**
- SINGLE
TOUCH SWITCH**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)	GLASS COLOR
RS-J09-100e-1	Ø800	Ø800	40mm	Crtystal clear/Crystal Gray/Rainbow glaze
RS-J09-100e-2	800mm	1800mm	40mm	Crtystal clear/Crystal Gray/Rainbow glaze



**SQUARE
FRAMELESS MIRRORS**



PALACE

4MM
Copper-free mirror

LED
2835 beads

IP44
Waterproof rating


ANTI-FOGGING
With heating pad


OPTIONAL
Time display

SINGLE TOUCH SWITCH

VERTICAL OR **HORIZONTAL HANGING**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-1-A	500mm	700mm	45mm
RS-J14-100e-1-B	600mm	900mm	45mm
RS-J14-100e-1-C	1200mm	700mm	45mm







TWINS

- 4MM**
Copper-free mirror
- LED**
2835 beads
- IP44**
Waterproof rating
- ANTI-FOGGING**
With heating pad
- OPTIONAL**
Time display
- SINGLE TOUCH SWITCH**
- VERTICAL**
- OR
- HORIZONTAL HANGING**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-2-A	500mm	700mm	45mm
RS-J14-100e-2-B	600mm	900mm	45mm
RS-J14-100e-2-B	1200mm	700mm	45mm








NOBLE

- 4MM**
Copper-free mirror
- LED**
2835 beads
- IP44**
Waterproof rating
- OPTIONAL**
Heating pad
- OPTIONAL**
Time display
- SINGLE TOUCH SWITCH**
- VERTICAL** OR **HORIZONTAL HANGING**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-3-A	500mm	700mm	45mm
RS-J14-100e-3-B	600mm	900mm	45mm
RS-J14-100e-3-C	1200mm	700mm	40mm





4MM
Copper-free mirror

LED
2835 beads


IP44
Waterproof rating


OPTIONAL
Heating pad

OPTIONAL
Time display

SINGLE TOUCH SWITCH

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-4-A	600mm	700mm	45mm
RS-J14-100e-4-B	1000mm	700mm	45mm





EROS

4MM
Copper-free mirror

LED
2835 beads

IP44
Waterproof rating


OPTIONAL
Heating pad


OPTIONAL
Time display

SINGLE TOUCH SWITCH

MAKEUP MIRROR
3X MAGNIFYING

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J14-100e-5-A	1000mm	700mm	45mm







VENUS

- 5MM**
Copper-free mirror
- LED**
2835 beads
- IP44**
Waterproof rating
- ANTI-FOGGING**
With heating pad
- OPTIONAL**
Time display
- SINGLE TOUCH SWITCH**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J15-100e-3-A	600mm	700mm	40mm
RS-J15-100e-3-B	800mm	700mm	40mm
RS-J15-100e-3-C	1000mm	700mm	40mm





HARMONY

5MM

Copper-free mirror

LED

2835 beads

ANTI-FOGGING


With heating pad


OPTIONAL

Time display

**SINGLE
TOUCH SWITCH**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J01-100e-1-A	500mm	700mm	30mm







DAWN

- 5MM**
Copper-free mirror
- LED**
5050 beads
- ARYLIC OR PS DIFFUSED
LED LIGHTING**
- ANTI-FOGGING**
With heating pad
- SWIPE ON/OFF
WITH INFRARED SENSOR**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-1-A	600mm	700mm	40mm
RS-J16-100e-1-B	800mm	700mm	40mm
RS-J16-100e-1-C	1000mm	700mm	40mm







GALAXY

- 5MM**
Copper-free mirror
- LED**
5050 beads
- ARYLIC OR PS DIFFUSED LED LIGHTING**
- ANTI-FOGGING**
With heating pad
- SWIPE ON/OFF WITH INFRARED SENSOR**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-2-A	600mm	700mm	40mm
RS-J16-100e-2-B	800mm	700mm	40mm
RS-J16-100e-2-C	1000mm	700mm	40mm








PEACE

- 5MM**
Copper-free mirror
- LED**
5050 beads
- ARYLIC OR PS DIFFUSED LED LIGHTING**
- ANTI-FOGGING**
With heating pad
- SWIPE ON/OFF WITH INFRARED SENSOR**
- VERTICAL** OR **HORIZONTAL HANGING**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-3-A	600mm	700mm	40mm
RS-J16-100e-3-B	800mm	700mm	40mm
RS-J16-100e-3-C	1000mm	700mm	40mm





MELODY

- 5MM
Copper-free mirror
- LED
3838 BI-colorbeads
- ARYLIC OR PS DIFFUSED
LED LIGHTING
- BLUETOOTH
- SOUND SYSTEM
- TIME&TEMP DISPLAY

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J16-100e-4-A	500mm	700mm	45mm
RS-J16-100e-4-B	600mm	900mm	45mm



FRAMED MIRRORS



GLORY

- 4MM**
Copper-free mirror
- LED**
2835 beads
- ANTI-FOGGING**
With heating pad
- OPTIONAL**
Time display
- DOUBLE TOUCH SWITCHES**
- FRAME ALUMINUM**

CODE	Ø DIAMETER (mm)	DEPTH (mm)
RS-J04-100e-A	Ø600	40mm
RS-J04-100e-B	Ø800	40mm



3000K
Optional

6000K
Optional(default)

FRAME Matt black

Brushed bronze





AGNES

5MM
Copper-free mirror


LED
5050 beads

ANTI-FOGGING
With heating pad

OPTIONAL
Time display

SINGLE TOUCH SWITCH

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J15-100e-5-A	600mm	700mm	40mm
RS-J15-100e-5-B	800mm	700mm	40mm
RS-J15-100e-5-C	1000mm	700mm	40mm



FLORA

5MM
Copper-free mirror

OPTIONAL
Time display


LED
5050 beads


SINGLE TOUCH SWITCH


ANTI-FOGGING
With heating pad

FRAME ALUMINUM


CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J15-100e-6-A	600mm	700mm	40mm
RS-J15-100e-6-B	800mm	700mm	40mm
RS-J15-100e-6-C	1000mm	700mm	40mm







Matt black


Brushed bronze

FRAME







FAIRY


- 5MM**
Copper-free mirror
- LED**
2835 beads
- ANTI-FOGGING**
With heating pad
- OPTIONAL**
Time display
- DOUBLE TOUCH SWITCHES**
- FRAME ALUMINUM**


CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J03-100e-1-A	780mm	750mm	40mm
RS-J03-100e-1-B	980mm	750mm	40mm
RS-J03-100e-1-C	1180mm	750mm	40mm






Frame colors


Brushed brass


Brushed bronze


Brushed grey



ROYAL

5MM
Copper-free mirror

LED
2835 beads


ANTI-FOGGING
With heating pad

OPTIONAL
Time display

DOUBLE TOUCH SWITCHES

FRAME STAINLESS STEEL


CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-J07-110e-1-A	580mm	900mm	40mm




MEDICINE CABINET





ONE DOOR
RS-G03-110E



TWO DOOR
RS-G03-220E



THREE DOOR
RS-G03-330E



DREAM

3MM

Copper-free mirror

LED

5050 beads

ANTI-FOGGING

With heating pad


OPTIONAL



Time display

**DOUBLE
TOUCH SWITCHES**

**FRAME
ALUMINUM**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G03-110e	550mm	800mm	135mm
RS-G03-220e	750mm	800mm	135mm
RS-G03-330e	950mm	800mm	135mm
	1150mm	800mm	135mm






GEMINI

3MM
Copper-free mirror

FRAME
ALUMINUM

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G03-110	500mm	700mm	135mm
RS-G03-220	750mm	700mm	135mm
RS-G03-330	950mm	700mm	135mm
	1150mm	700mm	135mm



ETERNITY

3MM
Copper-free mirror

LED
5050 beads

ANTI-FOGGING
With heating pad


OPTIONAL
Hair dryer holder


OPTIONAL
Power outlet

SINGLE TOUCH SWITCH

FRAME ALUMINUM

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G12-213e	800mm	700mm	135mm





Frame color



Matt silver
(default)

LIBERTY

3MM

Copper-free mirror

LED

2835 beads

**MODULARIZED LIGHTS
ON BOTH SIDES**

ANTI-FOGGING
With heating pad

**SWIPE ON/OFF
WITH INFRARED SENSOR**



**FRAME
ALUMINUM**

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G12-220e-1-A	645mm	700mm	135mm
RS-G12-220e-1-B	845mm	700mm	135mm

3000K
Optional

6000K
Optional(default)







EXPLORER

- 3MM**
Copper-free mirror
- LED**
2835 beads
- MODULARIZED LIGHTS**
ON TOP
- ANTI-FOGGING**
With heating pad
- SWIPE ON/OFF**
WITH INFRARED SENSOR
- FRAME**
ALUMINUM

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G12-220e-2-A	600mm	725mm	135mm
RS-G12-220e-2-B	800mm	725mm	135mm







SECRET

- 3MM**
Copper-free mirror
- LED**
2835 beads
- FAST INSTALLATION**
BUFFER DAMPING HINGE
- ANTI-FOGGING**
With heating pad
- SWIPE ON/OFF**
WITH INFRARED SENSOR
- FRAME**
ALUMINUM
- RECESSED**
INSTALLATION

CODE	WIDTH (mm)	HEIGHT (mm)	DEPTH (mm)
RS-G13-220e-1-A	750mm	800mm	135mm



MAKE-UP MIRRORS



MIRACLE

DOUBLE-SIDE
GLASS

→

PLANE MIRRO

AND

3X MAGNIFYING

LED
White-color beads


NON-CONTACT SWITCH WITH
9-MIN TIMING FUNCTION


NO WIRES
9V battery

WALL HUNG
MAKEUPMIRROR

Frame:
Electroplated-chromium iron

CODE	Ø DIAMETER (mm)	MAX STRETCH SIZE (mm)
RS-H01-100e-1	Ø190	460*360mm





MAGIC

DOUBLE-SIDE
GLASS

→

PLANE MIRRO

AND

3X MAGNIFYING

LED
White-color beads

220V
Supplied by power cable

WALL HUNG
MAKEUPMIRROR

Frame:
Electroplated-chromium iron

CODE	WIDTH (mm)	HEIGHT (mm)	MAX STRETCH SIZE (mm)
RS-H01-100e-2	180mm	180mm	450*238mm

