ROSERY

# MIRRORS & MEDICINE CABINET

MIRRORS &
MEDICINE CABINET





# ABOUT ROSERY

## SINCE 1996

Guangdong Rosery Bath Science and Technology Co., Ltd.was founded in 1996. We started to make shower enclosures since 1999 under the brand ROSERY.
We are one of the earliest and largest shower enclosure manufacturers in China, dedicated to independent design, development and manufacture.

Guangdong Rosery Bath Science and Technology Co., Ltd. was founded in the 1990s. We are a sanitary products company integrating R&D, design, production and sales. The company has an intelligent manufacturing base of 240,000 square meters in Taishan, China, which has intelligent production lines for glass, hardware, aluminum, shower door, mirror, mirror cabinet,shower tray, bathtub, wash basin, etc.

Rosery has passed the ISO9001 certification, ISO14001 certification and ISO45001 certification.

Now, ROSERY business forms a tripod layout of export, domestic franchising, and projects. For export, our products are exported to more than 30 countries and regions such as America, Canada, UK, France and Australia, etc. For domestic channel, ROSERY has close to 1,000 shops spanning across more than 600 cities in China, and establishes deep cooperation with national home furnishing chain stores. For projects, ROSERY established strategic cooperation with top real estate developers.

ROSERY walked through more than twenty years, keep moving and never stop.

We embrace future with love, chase our dream with customers.



# CATALOGUE

MIRRORS & MEDICINE CABINET


001-012

ROUND FRAMELSS
MIRRORS



013-042

FRAMELSS
MIRRORS
SQUARE



043-066

FRAMED
MIRRORS




067-090

MEDICINE
CABINET




091-09

MAKE-UP
MIRRORS



# ROUND
# FRAMELSS MIRRORS







# RING

| | | |
|---|---|---|
| **5MM** Copper-free mirror | **LED** 2835 beads | **ANTI-FOGGING** With heating pad |
| **OPTIONAL** Time display | **DOUBLE TOUCH SWITCHES** | **CE** CE marking |

| CODE | DIAMETER (mm) | DEPTH (mm) |
|---|---|---|
| RS-J06-100e-1-A | Ø800 | 30 mm |
| RS-J06-100e-1-B | Ø600 | 30 mm |








# SELENE

CE marking


| 5MM | LED | IP44 |
|---|---|---|
| Copper-free mirror | 2835 beads | Waterproof rating |

| OPTIONAL | OPTIONAL | SINGLE TOUCH SWITCH |
|---|---|---|
| Heating pad | Time display | |

| CODE | DIAMETER (mm) | DEPTH (mm) |
|---|---|---|
| RS-J15-100e-2-A | Ø600 | 40 mm |
| RS-J15-100e-2-B | Ø800 | 40 mm |
| RS-J15-100e-2-C | Ø1000 | 40 mm |

3000K
Optional

6000K
Optional(default)




# APOLLO

CE marking

**5MM**
Copper-free mirror

**LED**
3838 BI- colorbeads

**ANTI-FOGGING**
With heating pad


**ARYLIC OR PS DIFFUSED LED LIGHTING**

**OPTIONAL**
Time display

**SINGLE TOUCH SWITCH**

| CODE | DIAMETER (mm) | DEPTH (mm) |
|---|---|---|
| RS-J16-100e-5-A | Ø800 | 40 mm |
| RS-J16-100e-5-B | Ø600 | 40 mm |






# CRYSTAL

CE marking

**5MM**
Copper-free mirror

**LED**
3838 BI- colorbeads

**OPTIONAL**
Heating pad

**ARYLIC OR PS DIFFUSED LED LIGHTING**

**OPTIONAL**
Time display

**SINGLE TOUCH SWITCH**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J16-100e-6-A | 550 mm | 800 mm | 40 mm |
| RS-J16-100e-6-B | 800 mm | 1200 mm | 40 mm |





# RAINBOW-1

CE marking

**5MM**
Copper-free mirror

**LED**
3838 Tri-color beads

**ANTI-FOGGING**
With heating pad


**SUPER SMOOTH EDGE**


**TEMPERED CRAFT-GLASS**

**SINGLE TOUCH SWITCH**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) | GLASS COLOR |
|---|---|---|---|---|
| RS-J09-100e-1 | Ø800 | Ø800 | 40 mm | Crystal clear/Crystal Gray / Rainbow glaze |
| RS-J09-100e-2 | 800 mm | 1800 mm | 40 mm | Crystal clear/Crystal Gray / Rainbow glaze |

3000K ⟵ Color temperature control ⟶ 6000K




RAINBOW



# RAINBOW-2

CE marking

**5MM**
Copper-free mirror

**LED**
3838 Tri-color beads

**ANTI-FOGGING**
With heating pad


**SUPER SMOOTH EDGE**


**TEMPERED CRAFT-GLASS**

**SINGLE TOUCH SWITCH**


| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) | GLASS COLOR |
|---|---|---|---|---|
| RS-J09-100e-1 | Ø800 | Ø800 | 40 mm | Crystal clear/Crystal Gray / Rainbow glaze |
| RS-J09-100e-2 | 800 mm | 1800 mm | 40 mm | Crystal clear/Crystal Gray / Rainbow glaze |

⟵ Color temperature control ⟶



# SQUARE
# FRAMELSS MIRRORS




# PALACE

CE marking

**4MM**
Copper-free mirror

**LED**
2835 beads

**IP44**
Waterproof rating

**ANTI-FOGGING**
With heating pad

**OPTIONAL**
Time display


**SINGLE TOUCH SWITCH**

**VERTICAL** OR **HORIZONTAL HANGING**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J14-100e-1-A | 500 mm | 700 mm | 45 mm |
| RS-J14-100e-1-B | 600 mm | 900 mm | 45 mm |
| RS-J14-100e-1-C | 1200 mm | 700 mm | 45 mm |

3000K
Optional

6000K
Optional(default)




# TWINS

CE marking

**4MM**
Copper-free mirror

**LED**
2835 beads

**IP44**
Waterproof rating

**ANTI-FOGGING**
With heating pad

**OPTIONAL**
Time display


**SINGLE TOUCH SWITCH**

**VERTICAL** OR **HORIZONTAL HANGING**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J14-100e-2-A | 500 mm | 700 mm | 45 mm |
| RS-J14-100e-2-B | 600 mm | 900 mm | 45 mm |
| RS-J14-100e-2-C | 1200 mm | 700 mm | 45 mm |

3000K
Optional

6000K
Optional(default)




# NOBLE

CE marking

**4MM**
Copper-free mirror

**LED**
2835 beads

**IP44**
Waterproof rating

**OPTIONAL**
Heating pad

**OPTIONAL**
Time display


**SINGLE TOUCH SWITCH**

**VERTICAL** OR **HORIZONTAL HANGING**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J14-100e-3-A | 500 mm | 700 mm | 45 mm |
| RS-J14-100e-3-B | 600 mm | 900 mm | 45 mm |
| RS-J14-100e-3-C | 1200 mm | 700 mm | 40 mm |

3000K
Optional

6000K
Optional(default)




# AURORA

CE marking

**4MM**
Copper-free mirror

**LED**
2835 beads


**IP44**
Waterproof rating


**OPTIONAL**
Heating pad

**OPTIONAL**
Time display

**SINGLE TOUCH SWITCH**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J14-100e-4-A | 600 mm | 700 mm | 45 mm |
| RS-J14-100e-4-B | 1000 mm | 700 mm | 45 mm |






# EROS

CE marking

**4MM**
Copper-free mirror

**LED**
2835 beads

**IP44**
Waterproof rating


**OPTIONAL**
Heating pad

**OPTIONAL**
Time display

**SINGLE TOUCH SWITCH**

**MAKEUP MIRROR 3X MAGNIFYING**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J14-100e-5-A | 1000 mm | 700 mm | 45 mm |






# VENUS

CE marking

**5MM**
Copper-free mirror

**LED**
2835 beads

**IP44**
Waterproof rating

**ANTI-FOGGING**
With heating pad


**OPTIONAL**
Time display

**SINGLE TOUCH SWITCH**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J15-100e-3-A | 600 mm | 700 mm | 40 mm |
| RS-J15-100e-3-B | 800 mm | 700 mm | 40 mm |
| RS-J15-100e-3-C | 1000 mm | 700 mm | 40 mm |

3000K
Optional

6000K
Optional(default)




# HARMONY

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad


**OPTIONAL**
Time display

**SINGLE TOUCH SWITCH**

CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J01-100e-1-A | 500 mm | 700 mm | 30 mm |






# DAWN

**5MM**
Copper-free mirror

**LED**
5050 beads

**ARYLIC OR PS DIFFUSED LED LIGHTING**

**ANTI-FOGGING**
With heating pad


**SWIPE ON/OFF WITH INFRARED SENSOR**

**CE** CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J16-100e-1-A | 600 mm | 700 mm | 40 mm |
| RS-J16-100e-1-B | 800 mm | 700 mm | 40 mm |
| RS-J16-100e-1-C | 1000 mm | 700 mm | 40 mm |

3000K
Optional

6000K
Optional(default)




# GALAXY

**5MM**
Copper-free mirror

**LED**
5050 beads

**ARYLIC OR PS DIFFUSED LED LIGHTING**


**ANTI-FOGGING**
With heating pad

**SWIPE ON/OFF WITH INFRARED SENSOR**

**CE** CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J16-100e-2-A | 600 mm | 700 mm | 40 mm |
| RS-J16-100e-2-B | 800 mm | 700 mm | 40 mm |
| RS-J16-100e-2-C | 1000 mm | 700 mm | 40 mm |

6000K
Optional(default)




# PEACE

**5MM**
Copper-free mirror

**LED**
5050 beads

**ARYLIC OR PS DIFFUSED LED LIGHTING**

**ANTI-FOGGING**
With heating pad


**SWIPE ON/OFF WITH INFRARED SENSOR**

**CE** CE marking

**VERTICAL** OR **HORIZONTAL HANGING**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J16-100e-3-A | 600 mm | 700 mm | 40 mm |
| RS-J16-100e-3-B | 800 mm | 700 mm | 40 mm |
| RS-J16-100e-3-C | 1000 mm | 700 mm | 40 mm |

6000K
Optional(default)




# MELODY

CE marking

**5MM**
Copper-free mirror

**LED**
3838 BI- colorbeads


**ARYLIC OR PS DIFFUSED LED LIGHTING**


**BLUETOOTH**

**SOUND SYSTEM**

**TIME&TEMP DISPLAY**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J16-100e-4-A | 500 mm | 700 mm | 45 mm |
| RS-J16-100e-4-B | 600 mm | 900 mm | 45 mm |






# IRIS

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad


**SINGLE TOUCH SWITCHES**

**FRAME ALUMINUM**

**CE** CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J23-100e-1-A | 600 mm | 1000 mm | 30 mm |
| RS-J23-100e-1-B | 600 mm | 1200 mm | 30 mm |






# CALM

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad


**SINGLE TOUCH SWITCHES**

**FRAME ALUMINUM**

CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J23-100e-2-A | 600 mm | 1000 mm | 30 mm |
| RS-J23-100e-2-B | 600 mm | 1200 mm | 30 mm |






# INFINI

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**SINGLE TOUCH SWITCHES**

**FRAME ALUMINUM**

CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J23-100e-3-A | 600 mm | 900 mm | 30 mm |
| RS-J23-100e-3-B | 750 mm | 1100 mm | 30 mm |



# FRAMED MIRRORS

# GLORY

CE marking

**4MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**OPTIONAL**
Time display

**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

| CODE | DIAMETER (mm) | DEPTH (mm) |
|---|---|---|
| RS-J04-100e-A | Ø600 | 40 mm |
| RS-J04-100e-B | Ø800 | 40 mm |





FRAME



Matt black


Brushed bronze






# AGNES

**5MM**
Copper-free mirror

**LED**
5050 beads

**ANTI-FOGGING**
With heating pad

**OPTIONAL**
Time display

**SINGLE TOUCH SWITCH**

CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J15-100e-5-A | 600 mm | 700 mm | 40 mm |
| RS-J15-100e-5-B | 800 mm | 700 mm | 40 mm |
| RS-J15-100e-5-C | 1000 mm | 700 mm | 40 mm |



# FLORA

**5MM**
Copper-free mirror

**LED**
5050 beads

**ANTI-FOGGING**
With heating pad


**OPTIONAL**
Time display

**SINGLE TOUCH SWITCH**

**FRAME ALUMINUM**

CE marking


| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J15-100e-6-A | 600 mm | 700 mm | 40 mm |
| RS-J15-100e-6-B | 800 mm | 700 mm | 40 mm |
| RS-J15-100e-6-C | 1000 mm | 700 mm | 40 mm |





FRAME



Matt black


Brushed bronze








# FAIRY

CE marking

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**OPTIONAL**
Time display


**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J03-100e-1-A | 780 mm | 750 mm | 40 mm |
| RS-J03-100e-1-B | 980 mm | 750 mm | 40 mm |
| RS-J03-100e-1-C | 1180 mm | 750 mm | 40 mm |











# ROYAL

CE marking

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad


**OPTIONAL**
Time display

**DOUBLE TOUCH SWITCHES**

**FRAME STAINLESS STEEL**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J07-110e-1-A | 580 mm | 900 mm | 40 mm |






# LUMEN

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J22-100e-1-A | 600 mm | 900 mm | 60 mm |
| RS-J22-100e-1-B | 800 mm | 1000 mm | 60 mm |






# SERENA

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad


**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

**CE** CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J22-100e-2-A | 600 mm | 900 mm | 60 mm |
| RS-J22-100e-2-B | 800 mm | 1000 mm | 60 mm |






# EMPERA

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad


**SINGLE TOUCH SWITCHES**

**FRAME ALUMINUM**

**CE** CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J22-100e-3-A | 600 mm | 1000 mm | 30 mm |
| RS-J22-100e-3-B | 600 mm | 1200 mm | 30 mm |






# CROWN

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad


**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

**CE** CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J22-100e-4-A | 600 mm | 1000 mm | 30 mm |
| RS-J22-100e-4-B | 600 mm | 1200 mm | 30 mm |






# SYMMETRA

**5MM**
Copper-free mirror

**LED**
2835 beads

**ANTI-FOGGING**
With heating pad

**SINGLE TOUCH SWITCHES**


**FRAME STAINLESS STEEL**

CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J24-100e-1-A | 775 mm | 1200 mm | 100 mm |
| RS-J24-100e-1-B | 1175 mm | 1200 mm | 100 mm |
| RS-J24-100e-1-C | 1375 mm | 1200 mm | 100 mm |

3000K
Optional

6000K
Optional(default)




# AURA

**5MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**SINGLE TOUCH SWITCHES**

**FRAME STAINLESS STEEL**


CE marking


| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-J24-100e-2-A | 600 mm | 1200 mm | 100 mm |
| RS-J24-100e-2-B | 800 mm | 1200 mm | 100 mm |



# MEDICINE CABINET






# DREAM

CE marking

**3MM**
Copper-free mirror

**LED**
5050 beads

**ANTI-FOGGING**
With heating pad

**OPTIONAL**
Time display

**DOUBLE TOUCH SWITCHES**


**FRAME ALUMINUM**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G03-110e | 550 mm | 800 mm | 135 mm |
| RS-G03-220e | 750 mm | 800 mm | 135 mm |
| RS-G03-330e | 950 mm | 800 mm | 135 mm |
| | 1150 mm | 800 mm | 135 mm |







ONE DOOR
RS-G03-110





TWO DOOR
RS-G03-220




THREE DOOR
RS-G03-330




# GEMINI

CE marking

**3MM**
Copper-free mirror

**LED**
5050 beads

**ANTI-FOGGING**
With heating pad

**OPTIONAL**
Time display


**DOUBLE TOUCH SWITCHES**


**FRAME ALUMINUM**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G03-110 | 500 mm | 700 mm | 135 mm |
| RS-G03-220 | 750 mm | 700 mm | 135 mm |
| RS-G03-330 | 950 mm | 700 mm | 135 mm |
| | 1150 mm | 700 mm | 135 mm |








# ETERNITY

CE marking

**3MM**
Copper-free mirror

**LED**
5050 beads

**ANTI-FOGGING**
With heating pad


**OPTIONAL**
Hair dryer holder

**OPTIONAL**
Power outlet


**SINGLE TOUCH SWITCH**


**FRAME ALUMINUM**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G12-213e | 800 mm | 700 mm | 135 mm |








# LIBERTY

CE marking

**3MM**
Copper-free mirror

**LED**
2835 beads


**MODULARIZED LIGHTS ON BOTH SIDES**

**ANTI-FOGGING**
With heating pad


**SWIPE ON/OFF WITH INFRARED SENSOR**

**FRAME ALUMINUM**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G12-220e-1-A | 645 mm | 700 mm | 135 mm |
| RS-G12-220e-1-B | 845 mm | 700 mm | 135 mm |











# EXPLORER

CE marking

**3MM**
Copper-free mirror

**LED**
2835 beads


**MODULARIZED LIGHTS ON TOP**

**ANTI-FOGGING**
With heating pad

**SWIPE ON/OFF WITH INFRARED SENSOR**

**FRAME ALUMINUM**

| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G12-220e-2-A | 600 mm | 725 mm | 135 mm |
| RS-G12-220e-2-B | 800 mm | 725 mm | 135 mm |





# LUNAR

**3MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

CE marking






| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G15-230e-1-A | 780 mm | 700 mm | 135 mm |
| RS-G15-230e-1-B | 900 mm | 700 mm | 135 mm |





# ORBIT

**3MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

**CE** CE marking






| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G15-230e-2-A | 780 mm | 710 mm | 135 mm |
| RS-G15-230e-2-B | 980 mm | 710 mm | 135 mm |





# AETHER

**3MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

**CE** CE marking






| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G15-130e-3-A | 780 mm | 730 mm | 135 mm |
| RS-G15-130e-3-B | 980 mm | 730 mm | 135 mm |





# NOVA

**3MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**DOUBLE TOUCH SWITCHES**


**FRAME ALUMINUM**

CE marking






| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G16-130e-1 | 500 mm | 700 mm | 135 mm |





# SOVEREIGN

**3MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

CE marking






| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G16-130e-2 | 500 mm | 950 mm | 135 mm |





# REGENT

**3MM**
Copper-free mirror

**LED**
2835 beads


**ANTI-FOGGING**
With heating pad

**DOUBLE TOUCH SWITCHES**

**FRAME ALUMINUM**

CE marking







| CODE | WIDTH (mm) | HEIGHT (mm) | DEPTH (mm) |
|---|---|---|---|
| RS-G16-130e-3 | 500 mm | 1200 mm | 135 mm |



# MAKE-UP MIRRORS






# MIRACLE

| | | | |
|---|---|---|---|
| DOUBLE-SIDE GLASS | PLANE MIRRO | AND | 3X MAGNIFYING |
| **LED** White-color beads | NON-CONTACT SWITCH WITH 9-MIN TIMING FUNCTION | | **NO WIRES** 9V battery |
| WALL HUNG MAKEUPMIRROR | Frame: Electroplated-chromium iron | | CE marking |

| CODE | DIAMETER (mm) | MAX STRETCH (mm) |
|---|---|---|
| RS-H01-100e-1 | Ø190 | 460 × 360 mm |





# MAGIC

DOUBLE-SIDE GLASS → PLANE MIRRO AND 3X MAGNIFYING

**LED**
White-color beads

**220V**
Supplied by power cable

WALL HUNG MAKEUPMIRROR

Frame: Electroplated-chromium iron

CE marking

| CODE | WIDTH (mm) | HEIGHT (mm) | MAX STRETCH (mm) |
|---|---|---|---|
| RS-H01-100e-2 | 180 mm | 180 mm | 450 × 238 mm |



ROSERY | Mirrors & medicine cabinet